

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	455/436.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:23
L2	4230	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:27
L3	281	wireless same (basestation\$4 or base adj station\$4) and establish\$4 same connect\$4 same session\$4 same (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:27
L4	12	L3 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:27
L5	91380	"455"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:29
L6	76	L3 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:29
L7	2501	(hand adj off or handoff or handover or hand adj over) and foreign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:29
L8	5	L6 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:29
L9	5636	wireless and (establish\$4 or generat\$4) same session\$4 same (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:46

## EAST Search History

L10	220	L7 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:46
L11	645	wireless and (base station\$4 or base adj station\$4 or access adj point\$4) and ((establish\$4 or generat\$4) with session\$4 with (ID or identifier\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:50
L12	125	L5 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:50
L13	31	L2 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:50
L14	63398	(hand adj off or handoff or handover or hand adj over or roam\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:51
L15	5	L13 and L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:51
L16	91380	"455"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:51
L17	58	new and (hand adj off or handoff or handover) same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) with session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:51
L18	23	L17 and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:51
L19	58	new and (hand adj off or handoff or handover) same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) with session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:52

## EAST Search History

L20	7	455/436.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:52
L21	77	709/227.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:53
L22	35	709/228.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:53
L23	45	709/219.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:54
L24	16	709/227.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:54
L25	1	370/260.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:54
L26	3	370/389.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:54
L27	59	determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:55
L28	0	455/414.3.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:55
L29	0	455/433.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:55

## EAST Search History

L30	2	zombie session same session adj (ID or identifier\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:56
L31	16	determin\$6 same new with session same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:56
L32	0	455/414.3.ccls. and.determin\$6 same new with session same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:56
L33	21	session adj (ID or identifier\$4) same (compar\$4 or determin\$4 or auth\$6 or check\$4 or recogn\$4) same wireless same (base adj station or access with point\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:57
L34	9	session adj (ID or identifier\$4) same (compar\$4 or determin\$4 or auth\$6 or check\$4 or recogn\$4) same wireless and hand adj off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 22:05
L35	9	session adj (ID or identifier\$4) same (compar\$4 or determin\$4 or auth\$6 or check\$4 or recogn\$4) same hand adj off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 22:06
L36	14	(session adj (ID or identifier\$4) or cookie\$4) same auth\$9 same server same roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 22:07
L37	0	roam\$6 same maintain\$4 same (session\$4 with (ID or identifier\$4)) and (AVP or (attribut\$4 adj value adj pair\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2007/12/09 22:11
L38	0	roam\$6 same (handoff or (hand adj off)) same (session\$4 with (ID or identifier\$4)) and (AVP or (attribut\$4 adj value adj pair\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2007/12/09 22:11
L39	3	roam\$6 same (handoff or (hand adj off)) and new adj session and (session\$4 with (ID or identifier\$4)) and (AVP or (attribut\$4 adj value adj pair\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2007/12/09 22:12

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	455/436.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:23
L2	4230	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:27
L3	281	wireless same (basestation\$4 or base adj station\$4) and establish\$4 same connect\$4 same session\$4 same (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:27
L4	12	L3 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:27
L5	91380	"455"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:29
L6	76	L3 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:29
L7	2501	(hand adj off or handoff or handover or hand adj over) and foreign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:29
L8	5	L6 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:29
L9	5636	wireless and (establish\$4 or generat\$4) same session\$4 same (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:46

## EAST Search History

L10	220	L7 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:46
L11	645	wireless and (basestation\$4 or base adj station\$4 or access adj point\$4) and ((establish\$4 or generat\$4) with session\$4 with (ID or identifier\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:50
L12	125	L5 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:50
L13	31	L2 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:50
L14	63398	(hand adj off or handoff or handover or hand adj over or roam\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:51
L15	5	L13 and L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 21:51
L16	91380	"455"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:51
L17	58	new and (hand adj off or handoff or handover) same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) with session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:51
L18	23	L17 and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:51
L19	58	new and (hand adj off or handoff or handover) same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) with session with (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:52

## EAST Search History

L20	7	455/436.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:52
L21	77	709/227.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:53
L22	35	709/228.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:53
L23	45	709/219.ccls. and (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:54
L24	16	709/227.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:54
L25	1	370/260.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:54
L26	3	370/389.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:54
L27	59	determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:55
L28	0	455/414.3.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:55
L29	0	455/433.ccls. and determin\$6 same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and @ay<="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:55

## EAST Search History

L30	2	zombie session same session adj (ID or identifier\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:56
L31	16	determin\$6 same new with session same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:56
L32	0	455/414.3.ccls. and determin\$6 same new with session same (establish\$4 or generat\$4 or allocat\$4 or assign\$4 or creat\$4) adj session adj (ID or identifier\$4) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:56
L33	21	session adj (ID or identifier\$4) same (compar\$4 or determin\$4 or auth\$6 or check\$4 or recogn\$4) same wireless same (base adj station or access with point\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 21:57
L34	9	session adj (ID or identifier\$4) same (compar\$4 or determin\$4 or auth\$6 or check\$4 or recogn\$4) same wireless and hand adj off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 22:05
L35	9	session adj (ID or identifier\$4) same (compar\$4 or determin\$4 or auth\$6 or check\$4 or recogn\$4) same hand adj off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 22:06
L36	14	(session adj (ID or identifier\$4) or cookie\$4) same auth\$9 same server same roam\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/09 22:07
L37	0	roam\$6 same maintain\$4 same (session\$4 with (ID or identifier\$4)) and (AVP or (attribut\$4 adj value adj pair\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2007/12/09 22:11
L38	0	roam\$6 same (handoff or (hand adj off)) same (session\$4 with (ID or identifier\$4)) and (AVP or (attribut\$4 adj value adj pair\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2007/12/09 22:11
L39	3	roam\$6 same (handoff or (hand adj off)) and new adj session and (session\$4 with (ID or identifier\$4)) and (AVP or (attribut\$4 adj value adj pair\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2007/12/09 22:12